MAGLIONE™ DESICCANT 240



HERBICIDE

PRECISE, QUICK DRY DOWN HARVEST CONTROL

PMRA REG. NUMBER
35240

ACTIVE INGREDIENT
Diquat, present as dibromide 240 g/L

FORMULATION
Solution

HRAC NUMBER
2

SIGNAL WORD
Warning Poison

RE-ENTRY INTERVAL
24 hours

PACKAGE SIZE
2X10L/case
120L shuttle
500L tote

RESTRICTED USE
No

Maglione™ Desiccant 240 delivers quick dry down and 15-minute rainfastness so you can apply and harvest on your schedule.

- Rapid dry down for maximum control over harvest schedule
- Rainfast in 15 minutes
- Crop waste approved for livestock feed
- Non-residual; inactive on soil contact and does not affect seed germination

KEY CROPS

CANOLA | SOYBEANS | PEAS | LENTILS + CHICKPEAS | SUNFLOWERS

RATES

DESICCANT TO AID HARVEST

CHICKPEAS
GROUND: 0.5-0.7 L/AC
AIR: 0.7 L/AC

LENTILS, DRY BEANS, SOYBEANS, PEAS, CANOLA, MUSTARD, FLAX
GROUND: 0.5-0.7 L/AC
AIR: 0.7-0.9 L/AC

WATER VOLUME

GROUND: 20 GAL/AC OR 200 L/HA
AIR: 5 GAL/AC OR 50 L/HA

AVESTACROP.COM | 1-800-607-5443 | INFO@AVESTACROP.COM | LinkedIn

Avesta™ CropScience

MAGLIONE™
DESICCANT 240

APPLICATION INFORMATION

CROP	RATE (L/HA)	APPLICATION METHOD	APPLICATION VOLUME (L/HA)	CROP CONDITION	NOTES
CANOLA	1.25-1.7	Ground	225-550	Full canopy, few weeds (normal crop)	Apply when 90% or more of seed has turned brown. Combine no later than 14 days after application.
	1.7	Aerial	at least 45		
	1.7	Ground	225-550	Very dense canopy and/or weedy crop	
	2.3	Aerial	at least 45		
CHICKPEAS	1.25-1.7	Ground	225-550	Full canopy, few weeds (normal crop)	For Desi type, apply at the time swathing would normally commence, when the majority of plants are yellow and most pods are mature and seeds have turned from green to yellow or brown. Upper part of plant may still be green. For Kabuli type, apply when the majority of plants and pods are ripe and dry with seeds turned from green to white or tan, and detached from the pods. Drydown is less complete in Kabuli type due to its thick pod wall.
	1.7	Aerial	at least 45		
	1.7	Ground	225-550	Heavy crop stand and/or weedy crop and/or heavy vine regrowth	
LENTILS	1.25-1.7	Ground	225-550	Full canopy, few weeds (normal crop)	Apply Maglione Desiccant 240 at the time swathing would normally commence. This is when the lowermost pods are yellow-brown and rattle.
	1.7	Aerial	at least 45		
	1.7	Ground	225-550	Very dense canopy and/or weedy crop	
	2.3	Aerial	at least 45		
PEAS FIELD OR DRY	1.25-1.7	Ground	225-550	Full canopy, few weeds (normal crop)	Apply Maglione Desiccant 240 when bottom pods of the majority of the plants are ripe and dry with the seeds detached from the pods. Seeds in less mature pods will split when squeezed.
	1.7	Aerial	at least 45		
	1.7	Ground	225-550	Very dense canopy and/or weedy crop	
	2.3	Aerial	at least 45		
SUNFLOWERS	1.25-1.7	Ground	225-550	Full canopy, few weeds (normal crop)	Spray when seeds reach maturity (20-50% moisture in the seed and hull). Combine 15-20 days after spraying.
	1.7	Aerial	at least 45		
	1.7	Ground	225-550	Very dense canopy and/or weedy crop	
	2.3	Aerial	at least 45		

MIXING ORDER

- Fill 3/4 full with water
- Agitate throughout mixing and spraying
- Add Maglione Desiccant 240 per label instructions
- Add adjuvant as required
- Add water as directed per label instructions

AVESTACROP.COM

Refer to product label for complete application and mixing instructions.

©2025 Avesta CropScience Inc. Important: Always read and follow label instructions. Not all products are registered for use in every province. Maglione™ is a trademark of Avesta CropScience Inc.

Avesta™ CropScience