

FAST. FLEXIBLE. PROVEN.

PMRA REG. NUMBER
35852

ACTIVE INGREDIENT
Bromoxynil 240 g/L

FORMULATION
Emulsifiable
Concentrate

HRAC NUMBER
6

SIGNAL WORD
WARNING: POISON

RE-ENTRY INTERVAL
24 hours

PACKAGE SIZE
2 × 9.7 L jugs/case

RESTRICTED USE
No

Aderra™ 240 EC delivers quick, reliable broadleaf control for a cleaner, more competitive crop stand. Its fast-acting contact performance supports strong crop establishment across cereals, canary seed, and grasses.

- Rapid visual results within days of application
- Trusted performance built on decades of field use
- Excellent selectivity in key cereal and grass crops
- Broad tank-mix compatibility for flexible use programs

KEY CROPS



BARLEY



WHEAT



OATS

KEY WEEDS CONTROLLED



TARGET
BROADLEAF
WEEDS

- | | | |
|--------------------|--------------------|-------------------------|
| • Ball mustard | • Kochia | • Stinkweed |
| • Canada fleabane* | • Lamb's-quarters | • Volunteer canola** |
| • Common ragweed | • Prickly lettuce | • Wild buckwheat |
| • Cow cockle | • Redroot pigweed | • Wild mustard |
| • Dandelion* | • Russian thistle | • Wild radish |
| • Field pennycress | • Shepherd's-purse | <i>*Seedling Stage</i> |
| • Flixweed | • Smartweed | <i>**)-4 leaf stage</i> |

WATER VOLUME



GROUND: 10–40 GAL/AC or 45.5 L/AC (Typical)
AIR: 2–10 GAL/AC or 9.1–45.5 L/AC





APPLICATION INFORMATION					
CROP	RATE (L/AC)	APPLICATION METHOD	APPLICATION VOLUME (L/AC)	CROP TIMING	NOTES
BARLEY	0.486-0.567	Ground	40.5	2-leaf → early flag leaf	Use higher rate for large weeds or under stress.
	0.486-0.567	Aerial	at least 8.1		
WHEAT	0.486-0.567	Ground	40.5	2-leaf → early flag leaf	Observe label buffer zones for aerial use.
	0.486-0.567	Aerial	at least 8.1		
OATS	0.486-0.567	Ground Only	40.5	2-leaf → early flag leaf	Do not apply by air. Use higher rate for heavy weed pressure.